


State Epidemiological Outcomes Workgroup

Email: adadeehi@gmail.com
 Phone: (808) 956-6059
 Fax: (808) 956-5818

HONOLULU COUNTY YOUTH MARIJUANA USE



DID YOU KNOW?
 Marijuana has long term effects on developing brains. One large-scale prospective study found that participants who used cannabis heavily in their teens and continued through adulthood showed a significant (8 point) drop in IQ between the ages of 13 and 38. (For context, a loss of 8 IQ points could drop a person of average intelligence into the lowest third of the intelligence range).³



COMBATTING MYTHS
 Historically, decreases in perceived risk parallel increases in marijuana use, vice versa. The percentage of youth aged 12 to 17 perceiving great risk in smoking marijuana once a month decreased from 34.5% in 2007 to 30.1% in 2010. Not surprisingly, the prevalence of past month marijuana use among youth increased between 2008 (6.7%) and 2010 (7.4%).² Legalizing recreational or medical use of marijuana may decrease the perception of risks associated with marijuana use among youth.³

“Marijuana is perceived to be a relatively benign drug- that is not addictive (which it is) or that is does not pose a threat to the user’s health or brain (which it does)”
 - Director of the NIDA³

48.6%
 of youth in the U.S. in 2010 perceived marijuana to be “fairly easy” or “very easy” to obtain²

Hawaii 2012:
1,056
 youth were admitted to a substance abuse treatment center for marijuana.⁴

1 in 8
 High school seniors in the U.S. reported driving after smoking marijuana within 2 weeks prior to taking the 2011 Monitoring the Future Survey.⁵

DRUGGED DRIVING
 All 50 states now have drugged driving laws. In Hawaii, anyone found to drive under the influence of any drug may be charged with driving under the influence of an intoxicant.⁶



References:
¹ Hawaii Health Data Warehouse, State of Hawaii, Hawaii School Health Survey: Youth Risk Behavior Survey Module. (Substance Use by School Type and Indicator, by State and County, by Gender, Grade Level, and DOH Race-Ethnicity, for the Year 2011).
² Substance Abuse and Mental Health Services Administration, *Results from the 2010 National Survey on Drug Use and Health: Summary of National Findings*, NSDUH Series H-41, HHS Publication No. (SMA) 11-4658. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2011.
³ National Institute on Drug Abuse. Marijuana’s Lasting Effects on the Brain. (2013). *Messages from the Director*, March, 2013.
⁴ Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS), 2013.
⁵ Office of National Drug Control Policy, Executive Office of the President. (2012). Reducing drugged driving and protecting public health and safety [Factsheet]. December 2012.
⁶ Hawaii Revised Statutes § 291E-61

Funded by: Center for Substance Abuse Prevention.

State Epidemiological Outcomes Workgroup

Email: adadeehi@gmail.com

Phone: (808) 956-6059

Fax: (808) 956-5818

MAUI COUNTY YOUTH MARIJUANA USE

DID YOU KNOW?

Marijuana has long term effects on developing brains. One large-scale prospective study found that participants who used cannabis heavily in their teens and continued through adulthood showed a significant (8 point) drop in IQ between the ages of 13 and 38. (For context, a loss of 8 IQ points could drop a person of average intelligence into the lowest third of the intelligence range).³

48.6%

of youth in the U.S. in 2010 perceived marijuana to be "fairly easy" or "very easy" to obtain²

Hawaii 2012:

1,056

youth were admitted to a substance abuse treatment center for marijuana.⁴


1 in 8

High school seniors in the U.S. reported driving after smoking marijuana within 2 weeks prior to taking the 2011 Monitoring the Future Survey.⁵


DRUGGED DRIVING

All 50 states now have drugged driving laws. In Hawaii, anyone found to drive under the influence of any drug may be charged with driving under the influence of an intoxicant.⁶

Marijuana Use Among Maui County Middle School Students, 2011¹



Marijuana Use Among Maui County High School Students, 2011¹



COMBATTING MYTHS

Historically, decreases in perceived risk parallel increases in marijuana use, vice versa. The percentage of youth aged 12 to 17 perceiving great risk in smoking marijuana once a month decreased from 34.5% in 2007 to 30.1% in 2010. Not surprisingly, the prevalence of past month marijuana use among youth increased between 2008 (6.7%) and 2010 (7.4%).² Legalizing recreational or medical use of marijuana may decrease the perception of risks associated with marijuana use among youth.³

"Marijuana is perceived to be a relatively benign drug- that is not addictive (which it is) or that is does not pose a threat to the user's health or brain (which it does)"

- Director of the NIDA³

References:

- Hawaii Health Data Warehouse, State of Hawaii, Hawaii School Health Survey: Youth Risk Behavior Survey Module. (Substance Use by School Type and Indicator, by State and County, by Gender, Grade Level, and DOH Race-Ethnicity, for the Year 2011).
- Substance Abuse and Mental Health Services Administration, *Results from the 2010 National Survey on Drug Use and Health: Summary of National Findings*, NSDUH Series H-41, HHS Publication No. (SMA) 11-4658. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2011.
- National Institute on Drug Abuse. Marijuana's Lasting Effects on the Brain. (2013). *Messages from the Director*, March, 2013.
- Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS), 2013.
- Office of National Drug Control Policy, Executive Office of the President. (2012). Reducing drugged driving and protecting public health and safety [Factsheet]. December 2012.
- Hawaii Revised Statutes § 291E-61

State Epidemiological Outcomes Workgroup

Email: adadeehi@gmail.com

Phone: (808) 956-6059

Fax: (808) 956-5818

KAUAI COUNTY YOUTH MARIJUANA USE

DID YOU KNOW?

Marijuana has long term effects on developing brains. One large-scale prospective study found that participants who used cannabis heavily in their teens and continued through adulthood showed a significant (8 point) drop in IQ between the ages of 13 and 38. (For context, a loss of 8 IQ points could drop a person of average intelligence into the lowest third of the intelligence range).³

48.6%

of youth in the U.S. in 2010 perceived marijuana to be "fairly easy" or "very easy" to obtain.²

Hawaii 2012:

1,056

youth were admitted to a substance abuse treatment center for marijuana.⁴

1 in 8

High school seniors in the U.S. reported driving after smoking marijuana within 2 weeks prior to taking the 2011 Monitoring the Future Survey.⁵


DRUGGED DRIVING

All 50 states now have drugged driving laws. In Hawaii, anyone found to drive under the influence of any drug may be charged with driving under the influence of an intoxicant.⁶


References:

- ¹ Hawaii Health Data Warehouse, State of Hawaii, Hawaii School Health Survey: Youth Risk Behavior Survey Module. (Substance Use by School Type and Indicator, by State and County, by Gender, Grade Level, and DOH Race-Ethnicity, for the Year 2011).
- ² Substance Abuse and Mental Health Services Administration, *Results from the 2010 National Survey on Drug Use and Health: Summary of National Findings*, NSDUH Series H-41, HHS Publication No. (SMA) 11-4658. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2011.
- ³ National Institute on Drug Abuse. Marijuana's Lasting Effects on the Brain. (2013). *Messages from the Director*, March, 2013.
- ⁴ Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS), 2013.
- ⁵ Office of National Drug Control Policy, Executive Office of the President. (2012). Reducing drugged driving and protecting public health and safety [Factsheet]. December 2012.
- ⁶ Hawaii Revised Statutes § 291E-61

Marijuana Use Among Kauai County Middle School Students, 2011¹



Marijuana Use Among Kauai County High School Students, 2011¹



COMBATTING MYTHS

Historically, decreases in perceived risk parallel increases in marijuana use, vice versa. The percentage of youth aged 12 to 17 perceiving great risk in smoking marijuana once a month decreased from 34.5% in 2007 to 30.1% in 2010. Not surprisingly, the prevalence of past month marijuana use among youth increased between 2008 (6.7%) and 2010 (7.4%).² Legalizing recreational or medical use of marijuana may decrease the perception of risks associated with marijuana use among youth.³

"Marijuana is perceived to be a relatively benign drug- that is not addictive (which it is) or that is does not pose a threat to the user's health or brain (which it does)"

- Director of the NIDA³





State Epidemiological Outcomes Workgroup

Email: adadeehi@gmail.com

Phone: (808) 956-6059

Fax: (808) 956-5818

HAWAII COUNTY YOUTH MARIJUANA USE



DID YOU KNOW?

Marijuana has long term effects on developing brains. One large-scale prospective study found that participants who used cannabis heavily in their teens and continued through adulthood showed a significant (8 point) drop in IQ between the ages of 13 and 38. (For context, a loss of 8 IQ points could drop a person of average intelligence into the lowest third of the intelligence range).³

48.6%

of youth in the U.S. in 2010 perceived marijuana to be "fairly easy" or "very easy" to obtain²

Hawaii 2012:

1,056

youth were admitted to a substance abuse treatment center for marijuana.⁴

1 in 8

High school seniors in the U.S. reported driving after smoking marijuana within 2 weeks prior to taking the 2011 Monitoring the Future Survey.⁵

DRUGGED DRIVING

All 50 states now have drugged driving laws. In Hawaii, anyone found to drive under the influence of any drug may be charged with driving under the influence of an intoxicant.⁶

COMBATTING MYTHS

Historically, decreases in perceived risk parallel increases in marijuana use, vice versa. The percentage of youth aged 12 to 17 perceiving great risk in smoking marijuana once a month decreased from 34.5% in 2007 to 30.1% in 2010. Not surprisingly, the prevalence of past month marijuana use among youth increased between 2008 (6.7%) and 2010 (7.4%).² Legalizing recreational or medical use of marijuana may decrease the perception of risks associated with marijuana use among youth.³

"Marijuana is perceived to be a relatively benign drug- that is not addictive (which it is) or that is does not pose a threat to the user's health or brain (which it does)"

- Director of the NIDA³

References:

- ¹ Hawaii Health Data Warehouse, State of Hawaii, Hawaii School Health Survey: Youth Risk Behavior Survey Module. (Substance Use by School Type and Indicator, by State and County, by Gender, Grade Level, and DOH Race-Ethnicity, for the Year 2011).
- ² Substance Abuse and Mental Health Services Administration, *Results from the 2010 National Survey on Drug Use and Health: Summary of National Findings*, NSDUH Series H-41, HHS Publication No. (SMA) 11-4658. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2011.
- ³ National Institute on Drug Abuse. Marijuana's Lasting Effects on the Brain. (2013). *Messages from the Director*, March, 2013.
- ⁴ Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS), 2013.
- ⁵ Office of National Drug Control Policy, Executive Office of the President. (2012). Reducing drugged driving and protecting public health and safety [Factsheet]. December 2012.
- ⁶ Hawaii Revised Statutes § 291E-61

MIDDLE SCHOOL- 2011

	Honolulu County % (95% CI)	Maui County % (95% CI)	Kauai County % (95% CI)	Hawaii County % (95% CI)	HI State % (95% CI)	United States % (95% CI)
Marijuana ever	11 (7.6 - 14.5)	16.5 (13.2 - 19.8)	11.8 (9.1 - 14.5)	20.9 (17.9 - 24.0)	13.2 (10.9 - 15.4)	N/A N/A
Marijuana in past 30 days	8.5 (6.1 - 10.9)	10.1 (7.6 - 12.5)	7.6 (5.3 - 9.9)	13.5 (11.0 - 16.0)	9.3 (7.7 - 11.0)	N/A N/A
Marijuana, first use before age 11	3.8 (1.9 - 5.7)	6.5 (4.4 - 8.6)	3.1 (2.1 - 4.1)	8.1 (6.2 - 10.1)	4.7 (3.5 - 5.9)	N/A N/A

HIGH SCHOOL- 2011

	Honolulu County % (95% CI)	Maui County % (95% CI)	Kauai County % (95% CI)	Hawaii County % (95% CI)	HI State % (95% CI)	United States % (95% CI)
Marijuana ever	32.4 (28.1 - 36.8)	38.2 (33.8 - 42.5)	40.8 (35.3 - 46.4)	N/A N/A	36.3 (33.3 - 39.2)	39.9 (37.8 - 42.1)
Marijuana in past 30 days	19.1 (15.2 - 22.9)	21.9 (18.6 - 25.2)	23.4 (19.3 - 27.6)	N/A N/A	21.9 (19.3 - 24.5)	23.1 (21.5 - 24.7)
Marijuana, first use before age 13	6.7 (5.2 - 8.1)	12.3 (9.6 - 15.1)	16.4 (12.6 - 20.3)	N/A N/A	9.5 (8.2 - 10.8)	8.1 (7.3 - 9.0)