40 percent

of high school students in Hawaii texted or e-mailed while driving a car or other vehicle in the past 30 days.

	HAWAII STATE		U.S.
MENTAL HEALTH & SUICIDE	2013 %	2015 %	2015 %
Purposely hurt themselves without wanting to die in the past 12 months (such as cutting or burning)	20.6	23.0	NA
Felt sad or hopeless almost every day for two or more weeks in a row so that they stopped doing some usual activities in the past 12 months	29.8	29.5	29.9
Seriously considered attempting suicide in the past 12 months	16.9	16.0	17.7
Made a plan about how they would attempt suicide in the past 12 months	15.2	15.6	14.6
Attempted suicide in the past 12 months •	10.7	10.5	8.6
Suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse in the past 12 months	3.2	3.4	2.8
	HAWAII STATE		U.S.
PROTECTIVE FACTORS	2013 %	2015 %	2015 %
Were ever taught in school about AIDS or HIV infection *	81.9	75.6	NA
Had eight or more hours of sleep on an average school night	26.8	24.7	27.3
Had a parent or another adult in their family talk with them about the dangers of tobacco, alcohol, or drug use in the past 12 months	39.1	38.6	NA
Had parents or other adults in their family talk with them about what they expected them to do or not to do when it came to sex	NA	48.1	NA
Had at least one teacher or other adult in their school they could talk to if they had a problem *	68.2	63.5	NA
Had an adult outside of school they could talk to about things that were important to them *	76.7	73.2	NA
Had grades in school that were mostly A's and B's	66.2	66.8	NA
Thought they probably or definitely would complete a post high school program such as a vocational training program, military service, community college, or four-year college	76.3	73.6	NA

	HAWAII STATE		U.S.	
INJURIES & VIOLENCE		2015 %	2015 %	
Rode in a car driven by someone who was "high" or had been using alcohol or drugs in the past 30 days	23.0	20.3	NA	
Texted or e-mailed while driving a car or other vehicle in the past 30 days (among students who drove)	43.3	40.3	41.5	
Carried a weapon in the past 30 days (such as a gun, knife, or club) •	10.5	10.7	16.2	
Were in a physical fight in the past 12 months •	16.7	14.9	22.6	
Were injured in a physical fight and injuries had to be treated by a doctor or nurse, in the past 12 months	2.2	2.9	2.9	
Did not go to school because they felt unsafe at school or on their way to or from school in the past 30 days •	8.4	9.1	5.6	
Were electronically bullied in the past 12 months	15.6	14.7	15.5	
Electronically bullied someone in the past 12 months *	13.5	10.0	NA	
Were bullied on school property in the past 12 months	18.7	18.6	20.2	
Were ever physically forced to have sexual intercourse •	8.4	8.8	6.7	
Were purposely controlled or emotionally hurt in the past 12 months by someone they were dating or going out with (among students who dated or went out with someone)	NA	32.6	NA	
Experienced physical dating violence in the past 12 months by someone they were dating or going out with (among students who dated or went out with someone)	11.1	9.8	9.6	
Experienced sexual dating violence in the past 12 months by someone they were dating or going out with (among students who dated or went out with someone) •	13.8	12.7	10.6	
	HAV STA		U.S.	
TOBACCO USE	2013 %	2015 %	2015 %	
Ever tried smoking cigarettes (even one or two puffs) •	NA	25.0	32.3	
Smoked a whole cigarette before age 13	7.6	6.3	6.6	
Smoked cigarettes in the past 30 days	10.4	9.7	10.8	
Smoked cigarettes frequently in the past 30 days (on 20 or more days) •	3.0	1.9	3.4	
Ever used electronic vapor products	NA	45.1	44.9	
Used electronic vapor products in the past 30 days	NA	25.1	24.1	

Drank alcohol for the first time before age 13 (other than a few sips) Had at least one drink of alcohol in the past 30 days • Had five or more drinks of alcohol in a row within a couple of hours in the past 30 days • Had 10 or more drinks of alcohol in a row within a couple of hours in the past 30 days • Thought parents would feel it was a little bit wrong, wrong, or very wrong for them to drink beer, wine, or hard liquor regularly Ever used alcohol or drugs to relax, feel better about themselves, or fit in Ever used alcohol or drugs while they were alone Ever forgot things they did while using alcohol or drugs	25.2 12.7 2.9 886.8 222.1 116.6	2015 % 16.9 25.1 13.4 2.6 88.0 20.3 17.5 16.5	32.8 17.7 4.3 NA NA
13 (other than a few sips) Had at least one drink of alcohol in the past 30 days • Had five or more drinks of alcohol in a row within a couple of hours in the past 30 days • Had 10 or more drinks of alcohol in a row within a couple of hours in the past 30 days • Thought parents would feel it was a little bit wrong, wrong, or very wrong for them to drink beer, wine, or hard liquor regularly Ever used alcohol or drugs to relax, feel better about themselves, or fit in Ever used alcohol or drugs while they were alone Ever forgot things they did while using alcohol or drugs Ever had family or friends tell them that they should cut down on their drinking or	25.2 12.7 2.9 886.8 222.1 116.6	25.1 13.4 2.6 88.0 20.3	32.8 17.7 4.3 NA NA
Had five or more drinks of alcohol in a row within a couple of hours in the past 30 days. Had 10 or more drinks of alcohol in a row within a couple of hours in the past 30 days. Thought parents would feel it was a little bit wrong, wrong, or very wrong for them to drink beer, wine, or hard liquor regularly. Ever used alcohol or drugs to relax, feel better about themselves, or fit in Ever used alcohol or drugs while they were alone. Ever forgot things they did while using alcohol or drugs. Ever had family or friends tell them that they should cut down on their drinking or	12.7 2.9 86.8 22.1 16.6	2.6 88.0 20.3	17.7 4.3 NA NA
within a couple of hours in the past 30 days • Had 10 or more drinks of alcohol in a row within a couple of hours in the past 30 days • Thought parents would feel it was a little bit wrong, wrong, or very wrong for them to drink beer, wine, or hard liquor regularly Ever used alcohol or drugs to relax, feel better about themselves, or fit in Ever used alcohol or drugs while they were alone Ever forgot things they did while using alcohol or drugs Ever had family or friends tell them that they should cut down on their drinking or	2.9 86.8 22.1 16.6	2.6 88.0 20.3 17.5	A.3 NA NA
within a couple of hours in the past 30 days • Thought parents would feel it was a little bit wrong, wrong, or very wrong for them to drink beer, wine, or hard liquor regularly Ever used alcohol or drugs to relax, feel better about themselves, or fit in Ever used alcohol or drugs while they were alone Ever forgot things they did while using alcohol or drugs Ever had family or friends tell them that they should cut down on their drinking or	86.8 22.1 16.6 16.5	20.3 17.5	NA NA
bit wrong, wrong, or very wrong for them to drink beer, wine, or hard liquor regularly Ever used alcohol or drugs to relax, feel better about themselves, or fit in Ever used alcohol or drugs while they were alone Ever forgot things they did while using alcohol or drugs Ever had family or friends tell them that they should cut down on their drinking or	22.1 16.6 16.5	20.3 17.5	NA NA
better about themselves, or fit in Ever used alcohol or drugs while they were alone Ever forgot things they did while using alcohol or drugs Ever had family or friends tell them that they should cut down on their drinking or	16.6 16.5	17.5	NA
alone Ever forgot things they did while using alcohol or drugs Ever had family or friends tell them that they should cut down on their drinking or	16.5		
alcohol or drugs Ever had family or friends tell them that they should cut down on their drinking or		16.5	NIA
they should cut down on their drinking or	11 2		NA
arag asc	11.6	11.1	NA
Ever got into trouble while using alcohol or drugs	12.9	13.2	NA
Attended school under the influence of alcohol, marijuana, or other drugs in the past 12 months	NA	16.7	NA
Tried marijuana for the first time before age 13	10.4	9.5	7.5
Used marijuana in the past 30 days	18.9	19.4	21.7
Usually used marijuana by smoking it in a joint, bong, pipe, or blunt in the past 30 days (among students who used marijuana) •	NA	83.2	90.0
Ever used any of the following drugs Synthetic marijuana	NA	7.5	9.2
Any form of cocaine	6.5		5.2
Ecstasy •	8.0		
Heroin •	3.4 4.3		
Methamphetamines Prescription drugs without a doctor's	1	3.8 12.3	
prescription •	,	5	_5.0
Inhalants	9.2		
Hallucinogenic drugs *	6.0	8.1	6.4
Ever injected any illegal drug •	2.6		1.8
Were offered, sold, or given an illegal drug on school property in the past 12 months * •	31.2	25.4	21.7

During the past 12 months, 1 in 4 high school students in Hawaii were offered, sold, or given an illegal drug on school property.

During the past 12 months, 1 in 7 high school students in Hawaii were electronically bullied.

ASTHMA,	HAWAII STATE		U.S.
HEALTH CARE, & OTHER	2013 %	2015 %	2015 %
Were ever told by a doctor or nurse that they had asthma •	30.1	31.3	22.8
Still had asthma	12.7	13.1	NA
Saw a doctor or nurse for a check-up or physical exam when they were not sick or injured in the past 12 months	62.2	61.9	NA
Saw a dentist for a check-up, exam, teeth cleaning, or other dental work in the past 12 months	70.3	70.8	74.4
Had one or more tattoos	NA	9.3	NA
Had their tattoos done outside of a licensed tattoo shop (among students who had tattoos)	NA	46.8	NA
SEXUAL BEHAVIORS	HAV STA		U.S.
& IDENTITY	2013 %	2015 %	2015 %
Had sexual intercourse for the first time before age 13	4.0	3.5	3.9
Had sexual intercourse with four or more persons (lifetime) •	7.7	6.8	11.5
Had sexual intercourse with at least one person in the past 3 months (students who were currently sexually active) •	24.8	22.3	30.1
Among students who were currently sexually active			
- Used a condom during last sexual	45.9	48.4	56.9
intercourse • - Used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring	7.2	7.0	8.8
before last sexual intercourse Drank alcohol or used drugs before last sexual intercourse	24.0	19.9	20.6
Described themselves as gay, lesbian, or bisexual *	6.5	8.7	NA
* Statistically significant difference (p < 0.05) between Hawaii state 2013 and 2015			
 Statistically significant difference (p < 0.05) between Hawaii state and U.S. 2015 			
Bold Statistically significant difference			
NA Not Applicable			

	HAWAII STATE		U.S.
WEIGHT & NUTRITION	2013 %	2015 %	2015 %
Had obesity (≥ 95 percentile BMI for age & sex)	13.4	12.9	13.9
Overweight (\geq 85 but < 95 percentile BMI for age & sex)	14.9	15.3	16.0
Ate fruit or drank 100% fruit juices two or more times per day in the past 7 days * •	27.1	23.2	31.5
Ate vegetables three or more times per day in the past 7 days	18.1	16.5	14.8
Drank two or more glasses per day of milk in the past 7 days •	14.0	12.6	22.4
Drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days (not diet) •	15.8	13.4	20.4
Did not drink a can, bottle, or glass of soda or pop in the past 7 days (not diet) •	30.0	34.2	26.2
Drank a can, bottle, pouch, or glass of a juice drink one or more times per day in the past 7 days (not 100% fruit juice)	NA	12.5	NA
Ate breakfast on all 7 days in the past 7 days	38.1	36.0	36.3
Went hungry most of the time or always because there was not enough food in their home	NA	7.9	NA
Avoided foods because eating the food could cause an allergic reaction	NA	16.9	16.0
cause an anergic reaction			
cause an anergic reaction	HAV STA		U.S.
PHYSICAL ACTIVITY	STA		U.S. 2015 %
	2013 %	TE 2015	2015 %
PHYSICAL ACTIVITY Were physically active at least 60 minutes per day in the past 7 days (activity that increased their heart rate and made them breathe hard) 0 days •	2013 % 17.4 22.0	2015 %	2015 % 14.3 27.1
PHYSICAL ACTIVITY Were physically active at least 60 minutes per day in the past 7 days (activity that increased their heart rate and made them breathe hard) 0 days • All 7 days • Did exercises to strengthen or tone their	2013 % 17.4 22.0 46.3	2015 % 18.0 20.3	2015 % 14.3 27.1 53.4
PHYSICAL ACTIVITY Were physically active at least 60 minutes per day in the past 7 days (activity that increased their heart rate and made them breathe hard) 0 days • All 7 days • Did exercises to strengthen or tone their muscles on three or more of the past 7 days Used computers three or more hours per day (played video or computer games or used a computer for something that was not	2013 % 17.4 22.0 46.3 42.1	2015 % 18.0 20.3 46.0	2015 % 14.3 27.1 53.4 41.7
PHYSICAL ACTIVITY Were physically active at least 60 minutes per day in the past 7 days (activity that increased their heart rate and made them breathe hard) 0 days • All 7 days • Did exercises to strengthen or tone their muscles on three or more of the past 7 days Used computers three or more hours per day (played video or computer games or used a computer for something that was not school work on an average school day) Watched television three or more hours per	2013 % 17.4 22.0 46.3 42.1	18.0 20.3 46.0	2015 % 14.3 27.1 53.4 41.7
PHYSICAL ACTIVITY Were physically active at least 60 minutes per day in the past 7 days (activity that increased their heart rate and made them breathe hard) 0 days • All 7 days • Did exercises to strengthen or tone their muscles on three or more of the past 7 days Used computers three or more hours per day (played video or computer games or used a computer for something that was not school work on an average school day) Watched television three or more hours per day (on an average school day) * • Attended physical education classes on one or more days in an average week (when they	2013 % 17.4 22.0 46.3 42.1 29.3 39.1	18.0 20.3 46.0 40.6	2015 % 14.3 27.1 53.4 41.7 24.7 51.6

HAWAII

SURVEY RESULTS 2015

HAWAII YOUTH RISK BEHAVIORS

HAWAII SCHOOL HEALTH SURVEY

HAWAII STATE PUBLIC HIGH SCHOOL REPORT

The Hawaii School Health Survey is a joint project of the Hawaii Departments of Education (DOE) and Health (DOH) and the University of Hawaii's Curriculum Research & Development Group. It is largely funded by the DOH Healthy Hawaii Initiative and Substance Abuse Block Grant and the DOE's cooperative agreement with the Centers for Disease Control and Prevention (CDC) #5U87PS004230–02. The content of this brochure is the sole responsibility of the authors and does not necessarily represent the official views of the CDC.

For more information on the Youth Risk Behavior Survey and state and national results visit www.cdc. gov/HealthyYouth/yrbs/index.htm.

Hawaii state and county results, including by gender, grade level, and race/ethnicity, can be obtained from the Hawaii Health Data Warehouse at www.hhdw.org.





