## PHYSICAL ACTIVITY

months

dental work

days ≬ †

the past 12 months ◊

Were physically active at least 60 minutes per day in the past 7 days (activity that increased their heart rate and made them breathe hard)

HAWAII

COUNTY

%

HAWAII STATE

% %

2017 2019 2017 2019 2019

U.S.

made morn broathe haray					
0 days •	19.1	17.9	19.3	19.5	17.0
5 or more days * •	39.6	37.2	36.6	33.3	44.1
All 7 days ∗ ◊ ∙	20.4	21.8	19.6	17.1	23.2
Did exercises to strengthen or tone their muscles on three or more of the past 7 days $\diamond$ •	44.4	44.6	42.4	40.4	49.5
Attended physical education classes on one or more days in an average week (when they were in school) $\diamond$ •	49.4	48.4	39.7	42.7	52.2
Attended physical education classes on all five days in an average week (when they were in school) ◊ •	4.6	5.5	5.8	8.5	25.9
Played on at least one sports team in the past 12 months (run by their school or community groups) •	55.1	51.4	50.2	49.9	57.4
Watched television three or more hours per day (on an average school day) •	18.2	19.4	18.4	17.1	19.8
Used computers three or more hours per day (played video or computer games or used a computer for something that was not school work on an average school day) ◊ •	38.7	36.2	40.7	41.8	46.1
	HAWAII COUNTY		HAWAII STATE		U.S.
HEALTH	2017 %	2019 %	2017 %	2019 %	2019 %
Saw a doctor or nurse for a check-up or physical exam when they were not sick or injured in the past 12 months	58.5	62.0	65.9	64.0	NA
Saw a dentist for a check-up, exam, teeth cleaning, or other	69.0	69.4	74.4	71.7	75.9

7 days Drank a can, bottle, or glass of (not diet) • dental work in the past 12 Never saw a dentist for a check-2.0 2.6 1.8 2.0 1.9 up, exam, teeth cleaning, or other past 7 days Did not go to school because 46.4 53.7 43.1 46.7 NA they were sick in the past 30 days Had a concussion from playing a NA 20.3 NA 15.9 15.1 sport or being physically active in enough food in their home in the



of Hawaii County high school students had an adult outside of school they could talk to about things that were important to them.

HAWAII HAWAII STATE COUNTY 2017 2019 2017 2019 2019 **WEIGHT & NUTRITION** % % % % Had obesity (> 95 percentile BMI 16.7 13.8 14.2 16.4 15.5 for age & sex) Were overweight (> 85 but < 9513.6 14.0 14.2 14.4 16.1 percentile BMI for age & sex) Tried to lose weight or keep from 24.2 22.0 21.1 21.5 NA gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids;

U.S.

vomiting or taking laxatives; smoking cigarettes; or skipping meals in the past 30 days

Ate fruit or drank 100% fruit juices 22.8 23.1 21.2 19.7 28.9 two or more times per day in the past 7 days ◊ • Did not eat fruit or drink 100% fruit 8.4 8.3 7.5 9.5 6.3 juices in the past 7 days \* •

Did not eat fruit in the past 7 days 13.9 12.9 13.1 13.6 11.9 Did not drink 100% fruit juices in 36.9 42.0 35.9 43.9 30.8 the past 7 days \* † •

Ate vegetables three or more times 12.3 14.3 11.8 13.0 14.0 in the past 7 days Did not eat vegetables in the past 8.7 9.5 8.4 10.0 7.9

13.9 10.7 11.0 10.6 15.1

soda or pop one or more times per day in the past 7 days (not diet) <sup>†</sup> •

Did not drink a can, bottle, or glass 34.2 35.8 37.3 38.8 31.7 of soda or pop in the past 7 days

Drank a can, bottle, pouch, or glass 15.2 11.0 10.2 10.7 NA of a juice drink one or more times per day in the past 7 days (not 100% fruit juice) † Did not drink a a can, bottle. 29.9 31.2 34.2 35.9 NA pouch, or glass of juice drink in the past 7 days (not 100% fruit juice) ◊ Ate breakfast on all 7 days in the 35.1 36.0 35.9 35.4 33.1 Did not eat breakfast in the past 7 14.1 15.6 14.1 16.0 16.7 Went hungry most of the time 7.0 5.9 6.7 6.6 NA or always because there was not

past 30 days

## **2019 SURVEY RESULTS** HAWAII YOUTH **RISK BEHAVIORS**

## **HAWAII COUNTY** PUBLIC HIGH SCHOOL REPORT HAWAII SCHOOL HEALTH SURVEY

The Hawaii School Health Survey is a joint project of the Hawaii Departments of Education (DOE) and Health (DOH) and the University of Hawaii's Curriculum Research & Development Group. It is largely funded by the DOH Substance Abuse Block Grant. This publication was supported by Cooperative Agreement number NU87PS004309, funded by the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention or the Department of Health and Human Services.

The results are representative of the 42,880 regular public high school students across the state of Hawaii and the 6,000 Hawaii County public high school students.

For more information on the Youth Risk Behavior Survey and state and national results visit www.cdc. gov/HealthyYouth/yrbs/index.htm.

Hawaii state and county results, including by sex, grade level, and race/ethnicity, can be obtained from the Hawaii Health Data Warehouse at www.hhdw.org.



Race/Ethnicity (best description) 17.2 16.1 27.5 26.7 NA Filipino ◊ 12.4 11.8 10.0 6.4 26.1 Hispanic/Latino  $* \diamond \Delta$ Native Hawaiian ◊ 36.7 40.1 23.8 25.6 NA 7.2 6.0 13.0 21.0 NA Other Asian/Pacific Islander ◊ 18.2 17.8 15.3 14.8 51.2 White  $\Lambda$ 0.5 0.5 **0.9 0.4** NA All other races \* 7.8 7.8 9.5 5.1 NA Multiple races  $* \diamond$ Did not describe themselves as 23.9 23.0 19.0 15.3 NA only one race or ethnicity  $* \diamond$ Grade 9 29.2 28.7 28.2 28.6 26.6 Grade 10 26.1 26.3 25.3 26.0 25.5 Grade 11 22.3 22.1 23.7 23.6 24.2

SOCIO-DEMOGRAPHICS

Gay, lesbian, or bisexual

Females

Transgender \*

Males

Grade 12 21.6 22.8 22.2 21.6 23.5 Reported that either of their 16.7 22.0 19.7 24.2 NA parents or other adults in their family were serving on active duty in the military † Did not usually sleep in their

parent's or guardian's home in

the past 30 days ◊

12.2 10.9 9.8 8.5 NA



Hawaii County high school students felt sad or hopeless almost every day

for two or more weeks in a row in the past 12 months.

Statistically significant differences (p < 0.05) are displayed in bold. The following symbols are used to denote the specific comparisons that are statistically significant. \* Hawaii state 2017 and 2019

Hawaii County and Hawaii state 2019 <sup>†</sup> Hawaii County 2017 and 2019

- Hawaii state and U.S. 2019
- NA Not asked

Hawaii state and U.S. 2019 not comparable

HAWAII COUNTY HAWAII STATE

%

2017 2019 2017 2019 2019

51.2 47.5 50.6 48.0 49.4

48.8 52.5 49.4 52.0 50.6

11.5 11.3 11.2 10.3 11.2

2.8 2.1 3.1 1.7 NA

% %

U.S.

## 1/14/21

	HAWAII		HAWAII		AII HAWAII				11.6
	COU	NTY	ST/	ATE	U.S.				
PROTECTIVE FACTORS	2017 %	2019	2017 %	2019 %	2019 %				
Nore sunscreen most of the time or always (with an SPF of 15 or higher when they were outside for more than one hour on a sunny day)	10.4	10.9	11.7	12.4	15.5				
Had eight or more hours of sleep on an average school night	26.6	25.7	22.8	22.8	22.1				
Talked with at least one of their parents or another adult in their family about the dangers of tobacco, alcohol, or drug use in the past 12 months	45.2	45.4	44.1	45.7	NA				
Had parents or other adults in their family talk with them about what they expected them to do or not to do when it came to sex * ◊	57.7	54.2	52.4	47.3	NA				
Had at least one teacher or other adult in their school they could talk to if they had a problem	65.9	62.0	61.6	60.8	NA				
Had an adult outside of school they could talk to about things that were important to them * †	73.5	66.3	71.8	66.9	NA				
Described their grades in school as mostly A's or B's in the past 12 months †	69.4	75.6	71.1	73.0	NA				
Thought they probably or definitely would complete a post nigh school program such as a vocational training program, miliary service, community college, or four year college * ◊	64.5	67.5	68.4	72.6	NA				
	HAWAII COUNTY		HAV ST/		U.S.				
MENTAL HEALTH & SUICIDE	2017 %	2019 %	2017 %	2019 %	2019 %				
Purposely hurt themselves without vanting to die in the past 12 nonths (such as cutting or burning)	, -	22.2							
Telt sad or hopeless almost every day for two or more weeks in a row so that they stopped doing some usual activities in the past 12 months *									
Never or rarely got the kind of help they needed (among students who reported having felt sad, empty, nopeless, angry, or anxious)	52.0	57.4	55.3	55.5	NA				
Seriously considered attempting suicide in the past 12 months •	18.6	18.2	16.0	16.7	18.8				
Made a plan about how they vould attempt suicide in the past .2 months	15.7	15.8	13.8	14.6	15.7				
Attempted suicide in the past 12 months	11.5	11.2	10.0	10.5	8.9				
Suicide attempt resulted in an njury, poisoning, or overdose that nad to be treated by a doctor or	3.5	4.3	2.4	3.2	2.5				

HAWAII COUNTY				U.S.				
2017 %	2019 %	2017 %	2019 %	2019 %	SEXU			
	24.4	20.6	21.5	NA	Used th sexual i were cu			
19.5	16.6	16.8	16.7	21.9	Birth			
	13.4	9.3	12.4	8.7	Birth impla birth			
15.1	15.8	14.6	13.1	15.7	Both pills;			
21.3	20.7	18.4	17.0	19.5	shot, None			
44.8	44.2	38.6	40.4	NA	TOBA			
8.1	7.9	8.3	7.7	7.3	Ever trie			
10.3	8.6	11.3	8.6	8.2	one or t First tri age 13 puffs) *			
NA	7.1	NA	7.7	8.2	Smoked days * Smoked the pas days)			
13.3	11.7	11.7	10.8	10.8	Smoked 30 days			
	HAWAII COUNTY						U.S.	Ever us product
2017 %	2019 %	2017 %	2019 %	2019 %	First tri			
31.9	36.9	28.2	27.7	38.4	Used ar			
5.0	4.3	3.4	2.9	3.0	in the p Used el			
7.1	7.4	5.4	4.6	8.6	frequen 20 or m			
22.1	24.4	19.2	17.6	27.4	Used el daily in days) *			
	52.3	42.7	45.5	54.3	Usually vapor p a store student			
18.9	22.0	22.8	20.7	21.2	electror Smoked electror past 30			
	COU   2017   23.6   19.5   10.5   15.1   21.3   44.8   8.1   10.3   VA   13.3   HAV   2017   31.9   5.0   7.1   22.1   49.1	COUNTY   2017 2019   23.6 24.4   19.5 16.6   10.5 13.4   15.1 15.8   21.3 20.7   44.8 44.2   8.1 7.9   10.3 8.6   NA 7.1   13.3 11.7   COUNTY 2019   31.9 36.9   5.0 4.3   7.1 7.4   2017 2019   31.9 36.9   5.0 4.3   7.1 7.4   49.1 52.3	COUNTY   ST/     2017   2019   2017     23.6   24.4   20.6     19.5   16.6   16.8     10.5   13.4   9.3     15.1   15.8   14.6     21.3   20.7   18.4     44.8   44.2   38.6     8.1   7.9   8.3     10.3   8.6   11.3     NA   7.1   NA     13.3   11.7   11.7     COUNTY   S1.9   2017     31.9   36.9   28.2     5.0   4.3   3.4     7.1   7.4   5.4     22.1   24.4   19.2     49.1   52.3   42.7	COUNTY   STATE     2017   2019   2017   2019     23.6   24.4   20.6   21.5     19.5   16.6   16.8   16.7     10.5   13.4   9.3   12.4     10.5   13.4   9.3   12.4     11.5   15.8   14.6   13.1     21.3   20.7   18.4   17.0     44.8   44.2   38.6   40.4     8.1   7.9   8.3   7.7     10.3   8.6   11.3   8.6     NA   7.1   NA   7.7     13.3   11.7   10.8     HAULIY   HAULIY     2017   2019   2017   2019     31.9   36.9   28.2   27.7     5.0   4.3   3.4   2.9     7.1   7.4   5.4   4.6     22.1   24.4   19.2   17.6     49.1   52.3   42.7   45.5	COUNTY   STATE   U.S.     2017   2019   2017   2019   2019     23.6   24.4   20.6   21.5   NA     19.5   16.6   16.8   16.7   21.9     10.5   13.4   9.3   12.4   8.7     11.5   15.8   14.6   13.1   15.7     21.3   20.7   18.4   17.0   19.5     44.8   44.2   38.6   40.4   NA     8.1   7.9   8.3   7.7   7.3     10.3   8.6   11.3   8.6   8.2     NA   7.1   NA   7.7   8.2     NA   7.1   NA   7.7   8.2     13.3   11.7   11.7   10.8   10.8 $\frac{V_{01V}}{V_{01V}}$ 2017   2018   2017   38.4     5.0   4.3   3.4   2.9   3.0     7.1   7.4   5.4   4.6   8.6     3.1.9   <			

		VAII		VAII ATE	U.S.
SEXUAL BEHAVIORS cont.	2017 %	2019 %	2017 %	2019 %	2019 %
Used the following birth control met sexual intercourse to prevent pregna were currently sexually active					
Birth control pills •	16.2	19.5	15.9	14.8	23.0
IUD or implant •	6.3	11.5	7.9	9.7	4.8
Birth control pills; an IUD or implant; or a shot, patch, or birth control ring	29.4	34.8	29.9	29.4	30.9
Both a condom and birth control pills; an IUD or implant; or a shot, patch, or birth control ring	8.0	8.7	5.5	6.6	9.1
None •	19.7	14.5	15.8	16.0	11.9
		VAII			U.S.
TOBACCO USE	2017 %	2019 %	2017 %	2019 %	2019 %
Ever tried cigarette smoking (even one or two puffs) ◊ •	NA	21.1	NA	17.8	24.1
First tried cigarette smoking before age 13 years (even one or two puffs) $*$ $\ddagger$	14.1	8.5	10.8	7.4	7.9
Smoked cigarettes in the past 30 days * †	10.1	5.8	8.1	5.3	6.0
Smoked cigarettes frequently in the past 30 days (on 20 or more days)	1.8	1.1	1.7	1.2	1.3
Smoked cigarettes daily in the past 30 days (on all 30 days)	1.1	0.7	1.2	0.9	1.1
Ever used an electronic vapor product ◊	NA	56.5	NA	48.3	50.1
First tried using an electronic vapor product before age 13 years ◊	10.7	12.5	9.0	8.8	NA
Used an electronic vapor product in the past 30 days $* \diamond$	34.1	35.4	25.5	30.6	32.7
Used electronic vapor products frequently in the past 30 days (on 20 or more days) * ◊ †	7.2	13.1	5.1	10.4	10.7
Used electronic vapor products daily in the past 30 days (on all 30 days) $* \diamond \dagger$	4.9	10.1	3.5	7.9	7.2
Usually got their own electronic vapor products by buying them in a store in the past 30 days (among students who currently used electronic vapor products) •	NA	6.2	NA	4.7	8.1
Smoked cigarettes or used electronic vapor products in the past 30 days * ◊	36.5	37.3	27.5	32.1	34.4

ALCOHOL & OTHER	HAV COU		HAV St/	U.S.						
DRUG USE	2017 %	2019 %	2017 %	2019 %	2019 %					
Ever drank alcohol (other than a ew sips) * $\diamond$ $\Delta$	58.7	57.3	49.0	44.9	56.5					
Drank alcohol for the first time before age 13 years (other than a ew sips) ◊	20.5	22.0	16.8	15.2	15.0					
Had at least one drink of alcohol n the past 30 days * ◊ •	32.1	27.9	24.5	20.4	29.2					
Jsually got the alcohol they drank by someone giving it to them in he past 30 days (among students who currently drank alcohol)		35.3		36.7						
Vere currently binge drinking (had our or more drinks of alcohol in a ow for female students or five or nore drinks of alcohol in a row for nale students within a couple of nours in the past 30 days) ◊ •	16.3	16.1	12.6	10.9	13.7					
hought parents would feel it was I little bit wrong, wrong, or very wrong for them to drink beer, vine, or hard liquor regularly ◊ †	86.0	81.8	87.7	85.7	NA					
Attended school under the influence of alcohol, marijuana, or other Irugs in the past 12 months *	22.8	21.8	16.8	19.6	NA					
Ever used marijuana $\diamond \Delta$	41.6	41.6	31.1	29.9	36.8					
ried marijuana for the first time before age 13 years ◊ †	14.9	11.9	9.1	6.9	5.6					
Jsed marijuana in the past 30 lays ◊ •	24.1	23.4	18.1	17.2	21.7					
Ever used any of the following dru	ıgs									
Any form of cocaine •	7.5	7.4	7.1	5.8	3.9					
Ecstasy ∗ ◊	7.2	6.3	6.0	4.5	3.6					
Heroin •	6.0	4.5	4.5	3.6	1.8					
Methamphetamines •	5.7	4.7	4.8	4.5	2.1					
Ever took prescription pain nedicine without a doctor's prescription or differently than now a doctor told them to use it	15.5	17.3	12.2	14.4	14.3					
ook prescription pain medicine vithout a doctor's prescription or lifferently than how a doctor told hem to use it in the past 30 days ◊	NA	11.2	NA	8.5	7.2					
ver used a needle to inject any llegal drug into their body •	3.5	3.1	2.8	2.6	1.6					
35%			うとろ							

of Hawaii County high school students used an electronic vapor product in the past 30 days.

=